

# EXHIBIT E

## DuPont Packaging &amp; Industrial Polymers



The miracles of science™

## DuPont™ Elvax® 150

## Elvax® resins Product Data Sheet

## Description

## Product Description

DuPont™ Elvax® 150 is an ethylene-vinyl acetate copolymer resin for use in industrial applications.

## Restrictions

## Material Status

- Commercial: Active

## Availability

- Globally

## Typical Characteristics

## Composition

32% By Weight Vinyl Acetate  
Thermal Stabilizer: BHT antioxidant

## Applications

Elvax® resins can be used in a variety of applications involving molding, compounding, extrusion, adhesives, sealants, and wax blends. For additional information and properties associated with specific applications, please refer to the Grade Selector Guides found on the Elvax® website for industrial applications. <http://www.dupont.com/industrial-polymers/elvax/index.html>.

## Typical Properties

Physical	Nominal Values	Test Method(s)	
Density (g/cm³)	0.957 g/cm³	ASTM D792	ISO 1183
Melt Index (190°C/2.16kg)	43 g/10 min	ASTM D1238	ISO 1133
Thermal	Nominal Values	Test Method(s)	
Melting Point (DSC)	63°C (145°F)	ASTM D3418	ISO 3146
Vicat Softening Point (g)	36°C (97°F)	ASTM D1525	ISO 306

## Processing Information

## General

Maximum Processing Temperature 230°C (446°F)

## General Processing Information

Elvax® resins can be processed by conventional thermoplastic processing techniques, including injection molding, structural foam molding, sheet and shape extrusion, blow molding and wire coating. They can also be processed using conventional rubber processing techniques such as Banbury, two-roll milling and compression molding.

Elvax can be used in conventional extrusion equipment designed to process polyethylene resins. However, corrosion-protected barrels, screws, adapters, and dies are recommended, since, at sustained melt temperatures above 446°F (230°C), ethylene vinyl acetate (EVA) resins may thermally degrade and release corrosive by-products.

**FDA Status Information**

Elvax® 150 EVA Resin complies with Food and Drug Administration Regulation 21 CFR 177.1350(a)(1) -- Ethylene-vinyl acetate copolymers, subject to the limitations and requirements therein. This Regulation describes polymers that may be used in contact with food, subject to the finished food-contact article meeting the extractive limitations under the intended conditions of use, as shown in paragraph (b)(1) of the Regulation.

**Safety & Handling**

A Product Safety Bulletin, Material Safety Data Sheet, and more detailed information on compounding and processing Elvax® resins for specific applications are available from your DuPont Packaging and Industrial Polymers representative.

**Read and Understand the Material Safety Data Sheet (MSDS) before using this product**

**DuPont Offices Worldwide****Americas**

DuPont Company  
Barley Mill Plaza 26-2363  
Lancaster Pike & Route 141  
Wilmington, DE 19880-0026 U.S.A.  
Telephone +1 302-774-1161  
Toll-free (USA) 800-628-6208 prompt "6"  
Fax +1 302-999-4399

DuPont do Brasil, S.A.  
Alameda Itapecuru, 506  
06454-080 Barueri, SP Brasil  
Toll-free: 0800 171715  
Telephone +55 11 4166 8122  
Fax +55 11 4166 8720

**Asia Pacific**

DuPont China Holding Co, Ltd.  
15th Floor, Shui on Plaza  
333 Huai Hai Road (Central)  
Shanghai 200021, China  
Telephone +86 21 6386 6366  
Fax +86-21-6386-6333

DuPont K.K./DuPont Asia Pacific  
Sanno Park Tower  
11-1, Magatacho 2-chome  
Chiyoda-ku, Tokyo, 100-611, Japan  
Telephone +81-3-5521-2771  
Fax +81-3-5521-2775

**Europe / Middle East Africa**

DuPont de Nemours Int'l.  
S.A. 2,  
Chemin du Pavillon Box 50  
CH-1218 Le Grand Saconnex  
Geneva, Switzerland  
Telephone +41 22 717 51 11  
Fax +41 22 717 55 00

**elvax.dupont.com**

**email: pip@dupont.com**

*Copyright © 2006 DuPont. All rights reserved. The technical data herein are guides to the use of DuPont resins. The advice contained herein is based upon tests and information believed to be reliable, but users should not rely upon it absolutely for specific applications because performance properties will vary from lot to lot and with processing conditions. It is given and accepted at user's risk and confirmation of its validity and suitability in particular cases should be obtained independently. The DuPont Company makes no guarantees of results and assumes no obligations or liability in connection with its advice.*

*This publication is not to be taken as a license to operate under, or recommendation to infringe, any patents. CAUTION: Do not use in medical applications involving permanent implantation in the human body. For other medical applications, see DuPont Medical Caution Statement, H-50102.*

*The DuPont Oval, DuPont™, The miracles of science™, and Elvax® are trademarks or registered trademarks of DuPont or its affiliates.*

Copyright© 1995-2006. E.I. duPont de Nemours and Company. All Rights Reserved.

This data sheet is effective as of 01/12/2007 06:48:34 PM and supersedes all previous versions.



*The miracles of science™*